

VYHLÁSENIE O PARAMETROCH vystavené na základe NARIADENIA EURÓPSKEHO PARLAMENTU A RADY (EÚ) č.305/2011 č. 006-VoP-TID-2020/09 issued in accordance with REGULATION (EU) No. 305/2011 of the European Parliament and of the Council		
1. Jedinečný identifikačný kód typu výrobku:	Samonosné kompozitné ľahké panely, SPZ-3	
1.Unique product type identification code:	Self-supporting composite lightweight ...	skratka OPS 300 abbreviation
2. Type/batch number or any other element enabling identification of the construction product, as required under Article 11(4).		
Samonosný stenový panel OPS 300 It complies with the provisions of Act No. 90	Self-supporting wall panel OPS 300	pre hrúbku 300, 350 mm for thickness
2. Intended use in construction: Účel použitia v stavbe:		
Thermal insulation of concrete building components (lintels, ring beams, brackets, etc.), exterior walls, ceilings, and floors. Thermal and acoustic insulation intended for buildings and structures with increased fire risk Construction of lightweight walls, partitions, attics, modular sanitary units, garages, and other lightweight structures. <i>These boards are not suitable for use in environments with constant moisture.</i>		
Spôsob zabudovania do stavby / Method of integration into the structure:		
They are primarily fastened to concrete building sections using impact anchors as part of the lost formwork system. They are laid loosely on ceilings and floors. They are fastened to walls and ceilings using plate anchors. They are fastened to a wooden or steel grid and to the attic roof structure using screws.		
4. Name, registered trade name or registered trademark, and the manufacturer's contact address, as required under Article 11(5):		
Veróny OaS s.r.o., Priemyselná 936/3, 963 01 Krupina		
5. Not applicable	6. Systém 3	
7. Vyhlásenie o parametroch v súlade s : Declaration of performance in accordance with:		
- STN EN 13168:2012+A1:2015 Tepelnoizolačné výrobky pre budovy. Prefabrikované výrobky z drevitej vlny (WW). Špecifikácia - STN EN 2012:13172 Tepelnoizolačné výrobky. Hodnotenie zhody		
Názov a identifikačné číslo NO: Name and identification number of the Notified Body		
- Technický a skúšobný ústav stavebný, n.o., notifikovaná osoba č.1301, pobočka Nitra, Braneského 3, 949 01 Nitra, vykonal: určenie typu výrobku na základe skúšok typu v systéme 3 a vydal: protokol o skúške č. P40-05-0733 - Fires, s.r.o., notifikovaná osoba č.1396, Osloboditeľov 282, 059 35 Batizovce vydal: protokol FIRES CR 181-11-AUPS		
8. Netýka sa / Not applicable		
9. Deklarované parametre - viď. Technické parametre / Declared parameters – see Technical Parameters		
10. The product parameters listed in Sections 1 and 2 comply with the declared parameters in Section 9.		
This Declaration of Performance is issued under the sole responsibility of the manufacturer specified in Section 4.		
Name: JUDr. Tomáš Veróny	Function: konateľ spoločnosti	Date: 1.9.2020 _____

TECHNICAL DATA						
Property	Type of board	Declared value or class (level)				Test Report Number
		KZ 3/50	KZ 3/75	KZ 3/100	-	
Thermal resistance	[m ² .K/W]	0,909	1,346	2,109	-	EN 12667 / EN 12939 P40-05-0733 2)
Thermal conductivity coefficient	[W/m.K]	0,055	0,052	0,046	-	EN 12667 / EN 12939 P40-05-0733 2)
Length	[mm]	2000				STN EN 822 OP-TIM-KZ-3-06-001 4)
Width	[mm]	500				STN EN 822 OP-TIM-KZ-3-06-001 4)
Thickness	[mm]	T 1				STN EN 823 P40-05-0733 2)
Squareness		S 2				STN EN 824 OP-TIM-KZ-3-06-001 4)
Flatness		P 2				STN EN 825 OP-TIM-KZ-3-06-001 4)
Compressive stress at 10% deformation		CS(10/Y)50				STN EN 826 P40-05-0734 2)
Bulk density	[kg/m ³]	215	180	160	-	STN EN 1602 OP-TIM-KZ-04-001 4)
Areal density	[kg/m ²]	11,0	13,5	16,5	-	STN EN 1602 OP-TIM-KZ-04-001 4)
Chloride content		Cl 1				C.1 P20-05-0376/2 1)
Dimensional stability at 70 °C and 90% RH		Length and width 0.2%, thickness 1%				EN 1604 P40-05-0734 2)
Perpendicular to the Board Surface		TR 5				P40-05-0734 2)
Reaction to fire classification		B - s1, d0				EN 13501-1 C a EN 15715 3) FIRES CR 181-11-AUPS 3)
<p>Names and addresses of the laboratories that carried out the tests:</p> <ol style="list-style-type: none"> 1) Technický a skúšobný ústav stavebný, n.o., Studená 3, 824 34 Bratislava, notifikovaná osoba č.1301 2) Akreditované skúšobné laboratórium pobočky TSÚS v Nitre, Braneckého 2, 949 01 Nitra, akreditované pod č. S 123 3) FIRES, spol. s r.o., Osloboditeľov 282, 059 35 Batizovce, notifikovaná osoba č. 1396 4) OP-TIM, spol. s r.o., Priemyselná 936/3, 963 01 Krupina, skúšobné laboratórium spoločnosti 5) APPLIED PRECISION, spol. s r.o., Technická 5, 821 04 Bratislava 6) Technický a skúšobný ústav stavebný, n.o., Studená 3, 824 34 Bratislava, autorizovaná osoba č. CIS 04/1998301 						
Name:	JUDr. Tomáš Veróny	Function:	konateľ spoločnosti	Date:	1.9.2020	_____